

Hole ID	UTM E	UTM N	DIP	AZIMUTH	ELEV	FROM	TO	LENGTH (METERS)	Au G/T
MK-20-001	437729	5652199.7	-50	360	382	41.25	41.75	0.5	5.75
						86	90	4	1.41
Including						89	90	1	4.30
MK-20-002	437601	5652153.5	-50	360	370	50.2	50.7	0.5	5.21
MK-20-003	437601	5652153.5	-65	360	370	107.5	108	0.5	1.82
MK-20-004	437651	5652138.7	-50	360	370	130	131	1	7.43
MK-20-005	437684	5652197.3	-50	360	381	10	11	1	1.57
						44	45	1	1.61
						46	47	1	3.42
						93.9	94.4	0.5	5.27
						100.5	107	1.5	1.07
MK-20-006	437684	5652197.3	-65	360	381	12.5	13.5	1	1.25
						15.5	18	2.5	1.01
						28	29	1	1.34
						68.75	71.5	2.75	13.25
Including						69.5	70.5	1	36.20
MK-20-007	437675	5652424	-50	360	367	5.6	123	117.4	0.33
including						5.6	15	9.4	1.26
						13.5	15	1.5	4.64
						44	48	4	1.13
						66	67.5	1.5	1.02
MK-20-008	437646	5652413	-50	360	366	5.5	123	117.5	0.62
including						22.5	24	1.5	1.23
and						67.5	123	55.5	1.00
Including						72	73.5	1.5	1.44
and						75.5	76.5	1	1.33
and						77.5	79.5	2	1.21
and						82.6	98.6	16	1.42

Including						90.6	96.6	6	2.37
Including						91.6	93.6	2	4.28
including						93.6	98.6	5	1.26
and						102.6	105.6	4	1.07
and						110.6	119.6	9	1.14
Including						117.6	119.6	2	1.54
MK-20-009	437646	5652166	-50	360	374	125	126	1	1.34
						127	128	1	1.36
MK-20-010	437562	5652193	-50	360	379	12	13	1	1.02
						76.5	78	1.5	1.02
						100	102	2	2.94
Including						101	102	1	4.68
						112.5	114.5	2	1.37
Including						113.5	114.5	1	4.05
MK-20-011	437649	5652222	-50	360	384	70.5	72	1.5	1.12
MK-20-012								NSR	
MK-20-013	437652	5652139	-65	360	372	53	54	1	2.39
MK-21-014	437622	5652384	-50	0	376	17.5	21.5	4	0.99
						97	98	1	1.51
						147	148	1	1.27
						153	158	5	1.12
Including						155	156	1	4.52
						165	168	3	1.08
Including						165	166	1	1.93
						190	191	1	1.21
MK-21-015	437554	5652350	-50	0	372	30	31	1	1.77
MK-21-016								NSR	
MK-21-017	437564	5652202	-50	35	375	97	98	1	2.28
						274	280	6.2	1.35

Includes						279.2	280.2	1	6.38
						287.2	327.5	40.3	0.58
Includes						310.4	321.4	11	1.04
and						310.4	313.4	2	2.05
and						312.4	313.4	1	4.00
<b>MK-21-018</b>	437704	5652260	383.6	0	-50	2.55	7	4.45	2.35
				includes		6	7	1	6.64
						13	69	56	1.01
				Includes		16	37.5	21.5	1.84
				Includes		16	26	10	3.30
				Includes		22	23	1	23.10
						77.9	115.5	37.6	2.78
				Includes		86.3	115.5	29.2	3.43
				Includes		86.3	111	24.7	4.05
				Includes		86.3	100.3	14	7.01
				Includes		86.3	94.3	8	12.14
				Includes		86.3	92.3	6	16.09
				Includes		88.3	89.3	1	94.20
						139.1	140.3	1.2	1.02
						151	152	1	1.20
						174	175	1	1.16
<b>MK-21-019</b>	437704	5652260	383.6	0	-65	139.1	140.3	1.2	1.02
						151	152	1	1.20
						174	175	1	1.16
Includes						85	86	1	1.52
						148.5	285	136.5	1.25
Includes						149.5	194.4	44.9	3.00
Includes						148.5	164	15.5	5.25
Includes						149.5	150.5	1	59.80
and						150.5	151.5	1	15.50
Includes						165	194.4	29.4	1.82
Includes						178.4	184.4	6	5.45
Includes						180.4	181.4	1	26.70
<b>MK-21-020</b>	437650	5652295	383.6	0	-50	12	13.5	1.5	1.60
						48	84	36	0.55
				includes		54	55	1	1.51

						78	79	<b>1</b>	<b>3.92</b>
						103	134	<b>31</b>	<b>0.49</b>
				includes		111	112	<b>1</b>	<b>4.12</b>
						112	113	1	1.72
				and		124	126	2	1.31
						140	195	<b>55</b>	<b>0.41</b>
				includes		152	153	1	1.17
						165	166	1	1.50
						184	195	<b>11</b>	<b>0.54</b>
						191	192	<b>1</b>	<b>2.42</b>
<b>MK-21-021</b>	437675	5652424	366	215	-50	27	137	<b>110</b>	<b>0.36</b>
				Includes		91	112	<b>21</b>	<b>0.56</b>
				Includes		91	92	1	1.00
						101	102	1	1.53
						111	112	1	1.21
						129	132	3	1.02
<b>MK-21-022</b>	437675	5652424	366	340	-65	16	37	<b>21</b>	<b>0.47</b>
				Includes		29	30	1	<b>1.21</b>
						43.2	86	<b>42.8</b>	<b>0.54</b>
				Includes		43.2	48	<b>4.8</b>	<b>1.02</b>
				And		69	78	<b>9</b>	<b>0.91</b>
						91	92	1	1.21
						102	103	<b>1</b>	<b>3.29</b>
						121	122	1	1.28
						156	196.8	<b>40.8</b>	<b>0.36</b>
				includes		156	178	<b>23</b>	<b>0.48</b>
				includes		161	165	<b>4</b>	<b>1.55</b>
				includes		161	162	<b>1</b>	<b>3.35</b>
				And		162	163	1	1.63